ADDENDUM NO. 1

TO ALL PROSPECTIVE BIDDERS:

Bidders are instructed to attach this Addendum No. 1 to the inside cover of the contract folder and to sign and fax this page back to Mary Lowe (402-441-6576) as evidence that this Addendum No. 1 has been received. Failure to do so may result in rejection of the Bid.

Company/Contact Person

THOMAS A.

LEIKAM

E-6290

7-70-05 NEBRASH

The Contract Documents and Specifications for the above project is amended as follows:

ADDENDUM NO. 1

1. Refer to the Contract Documents – Proposal for Contract Construction Work – Schedule of Items (Bid Form)

Delete the "Schedule of Items (Bid Form)" in its entirety and replace with the attached "Schedule of Items (Bid Form)".

Note: New bid items have been added and the item numbers have changed accordingly.

The following quantities have been revised:

Pavement and Sidewalk Removal has decreased from 3,209 CY to 2,551 CY

Asphaltic Concrete Surface Course for Arterial Streets has decreased from 1,529 Tons to 47 Tons

Temporary Surfacing has increased from 400 SY to 3,240 SY

The following new pay items and quantities have been added:

Temporary Asphalt for Transitions & Sidewalks, 197 Tons

Temporary Shoring at Sta. 1215+65, 1 Lump Sum

Temporary Shoring at Sta. 1216+65, 1 Lump Sum

Temporary Shoring at Sta. 1220+35 – Sta. 1225+30, 1 Lump Sum

2. Refer to the Contract Documents – General Notice – Page 1

Delete the following: "Bidders desiring clarification or interpretation of the specification documents shall make a written request which must reach the Purchasing Department by July 27, 2007, twelve o' clock (Noon) via fax, mail or email."

Replace with the following (due to a date change):

"Bidders desiring clarification or interpretation of the specification documents shall make a written request which must reach the Purchasing Department by July 25, 2007, twelve o' clock (Noon) via fax, mail or email."

3. Refer to FHWA Documents - Use of Disadvantaged Business Enterprises, Pages 1 thru 15

Delete the FHWA document "Use of Disadvantaged Business Enterprises – Pages 1 thru 15 in its entirety and replace with the revised (Rev. 7-6-07) FHWA document "Use of Disadvantaged Business Enterprises – Pages 1 thru 16".

4. Refer to the Special Provisions

Add the following Special Provision:

Storm Water Pollution Prevention Plan

The Contractor shall understand the terms and conditions of the general National Pollutant Discharge Elimination System (NPDES) permit that authorizes the storm water discharges associated with the industrial activity from the construction site. For reference, the general permit is posted on the Department's website.

Additionally, the Contractor, as evidenced by their signature on this proposal, agrees and understands that, if awarded the contract on this project, he/she:

- becomes a co-permittee, along with the owner(s), to the Nebraska Department of Environmental Quality NPDES General Permit for Storm Water Discharge from construction sites on this project;
- 2. is legally bound to comply with the Clean Water Act to endure compliance with the terms and conditions of the storm water pollution prevention plan and developed under the NPDES permit and the terms of the NPDES permit; and
- 3. will hold the owners harmless for damages or fines arising as a result of noncompliance with the terms if the storm water permits and authorizations associated with the work on this project.

5. Refer to the Special Provisions

Add the following Special Provision:

TEMPORARY ASPHALT FOR TRANSITIONS AND SIDEWALKS

The Contractor shall furnish and construct temporary asphalt to transition from the ends of the temporary road surfacing to match the existing pavement along "O" Street as directed by the Engineer. The Contractor shall also construct temporary sidewalks using temporary asphalt at the locations shown on the plans and as directed by the Engineer.

The mix design for the temporary asphalt to be used for construction of the temporary transitions and sidewalks shall be designed by the Contractor and submitted to the Engineer for

approval prior to the start of work on the project. The mix design shall generally follow the requirements outlined in the City of Lincoln Standard Specifications and the following guidelines:

- 1. Asphaltic Cement must be an NDOR approved brand of PG 64-22 or better.
- 2. Asphaltic Cement content shall be between 5% and 6% by total weight of the mix.
- 3. Aggregate blend must contain at least 85% crushed materials, no more than 80% limestone, no more than 10% passing the #200 sieve and nominal maximum coarse aggregate size of ½" or smaller.
- 4. Recycled Asphalt Pavement (RAP) mixes may be used with the approval of the Engineer.
- 5. The Contractor shall provide the mix design to the Engineer for review and approval prior to proceeding with construction of the temporary asphalt.

The Contractor shall be required to furnish, construct and maintain the temporary asphalt transitions throughout the course of the construction. Any repairs or replacement of temporary asphalt material due to failure of the material or improper construction shall be promptly completed by the Contractor to minimize impacts to the traveling public. All costs associated with repairs or replacement of the temporary asphalt during the course of the project shall be borne by the Contractor. The Contractor shall also remove all temporary asphalt at the completion of the use of the facilities and all costs associated with the removal shall be included in the bid price for the temporary asphalt.

Temporary asphalt shall be measured and paid for by the ton in accordance with the unit price bid for the pay item "Temporary Asphalt for Transitions & Sidewalks". Said payment shall be full compensation for furnishing all labor, tools, equipment, materials and incidentals required to construct the temporary asphalt transitions and sidewalks at the locations shown on the plans and as directed by the Engineer, maintain the temporary asphalt and remove the temporary asphalt at the completion of the work or use of the temporary facility.

6. Refer to the Special Provisions, Erosion Control Mat

Add the following paragraphs to the Erosion Control Mat Special Provision:

Where specified on the plans, Erosion Control Type B shall be a rolled erosion control mat that is listed on the current Nebraska Department of Roads Approved Products List for "Erosion Control Class 1, Type B".

7. Refer to the Special Provisions, Temporary Surfacing

Add the following paragraphs to the Temporary Surfacing Special Provision:

The pay item for the full depth pavement at the temporary roadway shall be "Temporary Surfacing". All concrete used for temporary surfacing shall be City of Lincoln L3500 mix. If the Contractor proposes to use asphalt at the temporary roadway, then they shall submit the proposed mix design to the Engineer for review and approval prior to start of the work. The asphalt mix for surfacing at the temporary roadway shall be a commercial grade mix conforming to the requirements outlined for the Temporary Asphalt for Transitions and

Sidewalks, and shall be designed to perform under high vehicular traffic volumes including heavy truck traffic.

The Contractor shall maintain and repair all temporary surfacing at the temporary roadway and all other locations throughout the course of the project at their expense. No additional payment will be made for work associated with repair or replacement of temporary surfacing that fails or is determined by the Engineer to be unsuitable to carry public traffic. The Contractor shall promptly repair or replace all damaged or failed temporary surfacing as directed by the Engineer.

8. Refer to the Plans, Typical Sections Sheet 2-T3

Delete the reference to item number 6 and the note specifying 8" Pavement in the typical section for the "O" Street Temporary Road Typical Cross Section. Replace with a note specifying "Temporary Surfacing" for the temporary road.

Delete the reference to item number 6 at the temporary sidewalk in the typical section for the "O" Street Temporary Road Typical Cross Section. Replace with a note specifying "4" Thick Temporary Asphalt for Transitions and Sidewalks" for the construction of the temporary sidewalk.

9. Refer to the Plans, Summary of Quantites Sheet 2-S1

Revise the roadway quantity for Pavement and Sidewalk Removal to 2,452 CY and the total quantity for the Pavement and Sidewalk Removal to 2,551 CY.

Revise the quantity for Asphaltic Concrete Surface Course for Arterial Streets to 47 Tons.

Revise the quantity for Temporary Surfacing to 3,240 SY.

Add a quantity for "Temporary Asphalt for Transitions & Sidewalks" of 197 Tons to the Concrete Pavement & Surfacing Group.

10. Refer to the Plans, Summary of Quantites Sheet 2-S3

Add a quantity for "Temporary Shoring at Sta. 1215+65" of 1 Lump Sum to the Miscellaneous Group.

Add a quantity for "Temporary Shoring at Sta. 1216+65" of 1 Lump Sum to the Miscellaneous Group.

Add a quantity for "Temporary Shoring at Sta. 1220+35 – Sta. 1225+30" of 1 Lump Sum to the Miscellaneous Group.

11. Refer to the Plans, Phasing Sheet 2-P2

Add a build note to provide Temporary Shoring at Sta. 1215+65 left to accommodate construction of the new water main while maintaining vehicular traffic along "O" Street.

Add a build note to provide Temporary Shoring at Sta. 1216+65 left to accommodate construction of the new water main and 72" storm sewer pipe while maintaining vehicular traffic along "O" Street.

Add a build note to provide Temporary Shoring at Sta. 1220+35 to Sta. 1225+30 Right to accommodate construction of the new 24" storm sewer pipe while maintaining vehicular traffic along "O" Street and pedestrian traffic along the south side of "O" Street to maintain access to the existing businesses. The temporary shoring at this location shall maintain vehicular traffic and pedestrian traffic along the sidewalk on the south side of "O" Street at all times. The design and construction of the temporary shoring shall also take into consideration the vehicular access to the properties along the south side of "O" Street and shall comply with all requirements outlined in the Special Provisions regarding access to these properties.

Add the three Temporary Shoring Quantities/Pay Items described above to the summary of Phase I Quantities shown on this sheet.

12. Refer to the Plans, Phasing Sheet 2-P3

Delete the note that refers to Asphaltic Concrete Surface Course for Arterial Streets to provide transitions onto the existing pavements at the west and east ends of the temporary road. Replace the note with the following:

"Construct Temporary Asphalt for Transitions and Sidewalks to provide transitions onto the existing pavement at "O" Street".

In the summary of Phase II Quantities, delete the quantity for "Asphaltic Concrete Surface Course for Arterial Streets" of 150 Tons and replace with "Temporary Asphalt for Transitions & Sidewalks" of 197 Tons. This quantity includes both construction of the transitions and temporary sidewalk.

13. Refer to the Plans, Phasing Sheet 2-P6

Delete the Pavement Removal Tab. The pay item for the temporary road has been revised by this addendum from Asphaltic Concrete Surface Course for Arterial Streets to Temporary Surfacing. In accordance with the Special Provisions and this Addendum, removal of the temporary road surfacing and transitions is subsidiary to the cost for the Temporary Surfacing or the Temporary Asphalt.

14. Refer to the Plans, Temporary Road Construction, Sheet 11

Revise the Build Tab for "Asphaltic Concrete Surface Course for Arterial Streets" to read "Temporary Surfacing". Revise the pay unit from Tons to Square Yards and revise the pay quantity to 2,840 square yards.

15. Refer to the Plans, "O" Street Drainage, Sheet 15

Add the following sentence to the note referring to the 24" storm sewer pipe regarding shoring.

"Refer to the Special Provisions and Phasing Plans for description and payment of temporary shoring required to build the 24" storm sewer pipe".

16. Refer to Nebraska Department of Roads 2007 Standard Specifications for Highway Construction (NDOR)

The following NDOR Sections/Subsections have been amended as per the attached NDOR documents.

NDOR Section 1002 "Portland Cement Concrete"

NDOR Section 1004 "Portland Cement"

NDOR Section 1005 "Water for Concrete"

NDOR Section 1006 "Calcium Chloride"

NDOR Section 1007 "Chemical Admixtures"

NDOR Section 1008 "Fly Ash"

NDOR Section 1009 "Silica Fume"

NDOR Section 1012 "Liquid Membrane-Forming Compounds for Curing Concrete"

NDOR Section 1013 "Bituminous Liquid Compounds for Curing Concrete"

NDOR Section 1014 "Joint Sealing Filler"

NDOR Section 1027 "Deformed Metal Center Joint and Metal Keyway"

NDOR Section 1033 "Aggregates"

NDOR "Ground Granulated Blast Furnace Slag (GGBFS)"

The following questions were submitted to the Purchasing Department regarding this project:

1. Question: Can the Contractor use the Temporary Surfacing specification and pay item in lieu of the Asphaltic Concrete Surface Course for Arterial Streets for the temporary road?

Response: Addressed as part of this addendum.

2. Question: The Special Provisions have a section on Temporary Shoring for utility construction but there is not any bid items for Temporary Shoring on the Bid Schedule. Should a Temporary Shoring bid item be added?

Response: Addressed as part of this addendum.

3. Question: Can the Contractor use left over concrete pipe or concrete pipe that was in service for only a short duration on this project?

Response: No, the Contractor shall bid the project based upon all new material with material certifications as required by the specifications.

8 of 8

City No.	Spec. Ref.	Item No.	Description	Pay Unit	Approx. Quantity	Unit Price	Total Extension
	WARREN THE WALFRONCE WA		GRADING AND REMOVAL ITE	EMS	5507 (550 1500 - 550 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5		
0.2000	SPEC. PROV.	1	CONSTRUCTION STAKING	LS	1.00		
0.4000	CITY SPECS.	2	MOBILIZATION	LS	1.00	120000	
01.0100	CITY CHP. 1	3	PAVEMENT AND SIDEWALK REMOVAL	CY	2,551.00	V - 200	
01.0210	CITY CHP. 1	4	TYPE "A" SAWING	LF	1,186.00		
01.0220	CITY CHP. 1	5	TYPE "B" SAWING	LF	263.00		
01.0230	CITY CHP, 1 CITY	6	TYPE "C" SAWING	LF	133.00		
01.0261	CHP. I	7	MILLING, CONCRETE CURB	LF	12.00		
01.0264	CHP. 1 SPEC.	8	MILLING, ASPHALT PAVEMENT	SY	460.00		
02.0010	PROV.	9	GENERAL CLEARING & GRUBBING	LS	1.00		
02.0020	CHP. 2	10	TREE REMOVAL (12" TO 23")	EA	2.00		
02.0100	CHP. 2 SPEC.	11	EARTH EXCAVATION	CY	2,912.00		
15.0001	PROV.	12	TRAFFIC CONTROL	LS	1.00		
24.6209	PROV.	13	DYNAMIC MESSAGE SIGNS	CDAY	100.00	75.00	7,500.00
SUBTO	TAL GRA	DING	S AND REMOVAL ITEMS:				
			CONCRETE PAVEMENT & SUI	RFACINO	GITEMS		
01.0020	CITY CHP. 1	14	ASPHALTIC CONCRETE SURFACE COURSE CLASS 1 (6" BASE)	SY	324.00		
01.0140	CITY CHP. 1	15	ASPHALTIC CONCRETE SURFACE COURSE FOR ARTERIAL STREETS	TN	47.00		
01.0160	CITY CHP. 1	16	ASPHALTIC CONCRETE SURFACE COURSE FOR PARKING AREA	TN	7.00		
01.0170	CITY CHP. I	17	ADJUST MANHOLE TO GRADE, COMPLETE	EA	7.00		
01.0180	CITY CHP. 1	18	ADJUST WATER VALVE BOX TO GRADE, COMPLETE	EA	1.00		
01.0185	CITY CHP. 1	19	ADJUST WATER STOP BOX TO GRADE, COMPLETE	EA	3.00		
01.0190	CITY CHP, I	20	STANDARD MONUMENT BOX (IN PLACE)	EA	3.00		
03.0055	CITY CHP. 3	21	10" PORTLAND CEMENT CONCRETE PAVEMENT W/ INTEGRAL CURB	SY	1,275.00		

City No.	Spec. Ref.	Item No.	Description	Pay Unit	Approx. Quantity	Unit Price	Total Extension
03.0100	CITY CHP. 3	22	8" PORTLAND CEMENT ALLEY PAVEMENT	SY	80.00		
06.0020	CITY CHP, 6	23	COMBINED CURB AND GUTTER	LF	55.00		
06.0030	CITY CHP. 6	24	CONCRETE BARRIER CURB 9" X 20" (IN PLACE)	LF	43.00		
07.0020	CITY CHP. 7	25	CONCRETE SIDEWALK, 4" THICK	SF	16,798.00		
07.0030	CITY CHP. 7	26	6" CONCRETE DRIVEWAY	SF	2,518.00		
07.0100	CITY CHP. 7	27	DETECTABLE WARNING PANELS	SF	98.00		
10.0010	CITY CHP. 10	28	CRUSHED ROCK SURFACING, (IN PLACE)	TN	960.00		
14.0050	CITY CHP. 14	29	GROUND SLEEVE	EA	8.00		
50.0040	SPEC. PROV.	30	TEMPORARY SURFACING	SY	3,240.00		
50.0040	SPEC. PROV.	31	10" HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE PAVEMENT W/INTEGRAL CURB	SY	2,768.00		2
50.0035	ADD. 01	32	TEMPORARY ASPHALT FOR TRANSITIONS & SIDEWALKS	TN	197.00		
50.0045	SPEC. PROV.	33	6" HIGH TACK-ON CONCRETE MEDIAN	SF	895.00		
SUBTO	TAL CON	NCRET	TE PAVEMENT & SURFACING 1	TEMS:		25810.0	
			ROADWAY & PEDESTRIAN LI	GHTING	ITEMS	774	
24.0104	CITY CHP, 24	34	REMOVE STREET LIGHT POLE FOUNDATION	EA	11.00		
24.0223	CITY CHP. 24	35	RELOCATE STREET LIGHT POLE, COMPLETE (REQ. FOUND)	EA	4.00		
24.0807	CITY CHP. 24	36	PULL BOX, TYPE PB-9	EA	4.00		
24.0903	CITY CHP. 24	.37	CONDUIT IN TRENCH, 1 1/2 "	LF	2,386.00		
24.1063	CITY CHP. 24	38	CIRCUIT GROUND NO. 4	LF	98.00	11039000	1
24.1064	CITY CHP. 24	39	CIRCUIT GROUND NO. 6	LF	2,463.00		
24.1065	CITY CHP. 24	40	CIRCUIT GROUND NO. 8	LF	700.00		
24.1071	CITY CHP. 24	41	STREET LIGHT CABLE, NO. 2 USE IN CONDUIT	LF	196.00		
24.1072	CITY CHP. 24	42	STREET LIGHT CABLE, NO. 4 USE IN CONDUIT	LF	4,126.00		
24.1073	CITY CHP. 24	43	STREET LIGHT CABLE, NO. 6 USE IN CONDUIT	LF	478.00		
24.1422	CITY CHP. 24	44	STREET LIGHT POLE, SL-A-C-35-6-3	EA	3.00		

City No.	Spec. Ref.	Item No.	Description	Pay Unit	Approx. Quantity	Unit Price	Total Extension
24.1503	CITY CHP. 24	45	LUMINAIRE, 250W HPSV-SC	EA	3.00		
50.0001	SPEC. PROV.	46	LIGHTING UNIT, TYPE "2A"	EA	8.00		
50.0001	SPEC. PROV.	47	LIGHTING UNIT, TYPE "6"	EA	4.00		
50.0001	SPEC. PROV.	48	LIGHTING UNIT, TYPE "7"	EA	24.00		
50.0001	SPEC. PROV.	49	LIGHTING UNIT, TYPE "8"	EA	6.00	20.50	
50.0001	SPEC. PROV. NDOR	50	LIGHTING UNIT, TYPE "12	EA	4.00		
50.0001	SEC 413 SPEC.	51	LIGHTING CONTROL CENTER, TYPE "P"	EA	1.00		
50.0001	PROV.	52	LED LIGHTING SYSTEM	EA	8.00		
50.0005	CHP. 24	53	CIRCUIT GROUND NO. 2 STREET LIGHT CABLE, NO. 1/0 USE	LF	225.00		
50.0005	CHP. 24	54	IN CONDUIT	LF	450.00		
SUBTO	TAL ROA	ADWA	Y & PEDESTRIAN LIGHTING I	TEMS:		Managara and American American	
			BRIDGE ITEMS				
50.0001	SPEC. PROV.	55	TEST PILE	EA	4.00		
50.0001	NDOR SEC 1068 SPEC.	56	ELASTOMERIC PAD BEARINGS	EA	50.00		
50.0001	PROV. SPEC.	57	ORNAMENTAL METAL PIER WAVE SETS	EA	4.00		
50.0001	PROV. SPEC.	58	FIBERGLASS BANNER ARMS	EA	4.00		
50,0005	PROV.	59	ORNAMENTAL METAL RAIL, 3'-6"	LF	264.30		
50.0005	SEC 703 NDOR	60	HP 10 INCH x 42 LBS STEEL PILING	LF	4,350.00		
50.0005	SEC 703 SPEC.	61	HP 14 INCH X 89 LBS STEEL PILING PRECOMPRESSED POLYURETHANE	LF	3,240.00		
50.0005	PROV.	62	FOAM	LF	188.00		
50.0005	PROV.	63	1-1/2" RSC CONDUIT IN BRIDGE	LF	145.70		
50.0005	SPEC. PROV.	64	4" RSC CONDUIT IN BRIDGE	LF	438.00		
50.0010	NDOR SEC 704	65	CLASS 47B-3000 CONCRETE FOR BRIDGES	CY	417.10		
50.0010	NDOR SEC 706	66	CLASS 47BD-5000 CONCRETE FOR BRIDGES	CY	1,407.10		
50.0010	SPEC. PROV.	67	PRECAST CONCRETE BENCHES	CF	110.30		

City No.	Spec. Ref.	Item No.	Description	Pay Unit	Approx. Quantity	Unit Price	Total Extension
50.0010	NDOR SEC 702	68	GRANULAR BACKFILL	CY	780.00		
50.0010	NDOR SEC 727	69	CONCRETE FOR PAVEMENT APPROACHES CLASS 47BD-4000	CY	359.30		
50.0015	NDOR SEC 702	70	BENT NO. 1 EXCAVATION	LS	1.00		
50.0015	NDOR SEC 702	71	BENT NO. 2 EXCAVATION	LS	1.00		
50.0015	NDOR SEC 702	72	ABUTMENT NO. I EXCAVATION	LS	1.00		
50.0015	NDOR SEC 702	73	ABUTMENT NO. 2 EXCAVATION	LS	1.00		
50.0015	SPEC. PROV.	74	POST TENSIONING SYSTEM	LS	1.00		
50.0025	NDOR SEC 707	75	EPOXY COATED REINFORCING STEEL	LBS	207,575.00		
50.0025	NDOR SEC 708	76	STRUCTURAL STEEL FOR SUBSTRUCTURE	LBS	10,770.00		
50.0025	NDOR SEC 603	77	EPOXY COATED REINFORCING STEEL FOR PAVEMENT APPROACHES	LBS	35,992.00		
50.0040	NDOR SEC 727	78	SUBSURFACE DRAINAGE MATTING	SY	326.00		
50.0045	SPEC. PROV.	79	POLYMERIZED CEMENTITIOUS COATING	SF	3,875.00		
50.0045	NDOR SEC 703	80	STEEL SHEET PILING	SF	10,318.00		
50.0055	SPEC. PROV.	81	CAST STONE CAPS	CF	104.30		
SUBTO	ΓAL BRI	DGE I	TEMS:				
	GITTI I		STORM SEWER ITEMS				
21.0010	CITY CHP. 21	82	72" R.C.P. STORM SEWER, CLASS III	LF	174.00		
21.0070	CITY CHP. 21	83	36" R.C.P. STORM SEWER, CLASS III	LF	24.00		
21.0090	CITY CHP, 21	84	24" R.C.P. STORM SEWER, CLASS III	LF	468.00		
21.0100	CITY CHP. 21	85	18" R.C.P. STORM SEWER, CLASS III	LF	58.00		
21.0110	CITY CHP. 21	86	15" R.C.P. STORM SEWER, CLASS III	LF	62.00		
21.0770	CITY CHP. 21	87	72" STORM SEWER INLET (COMPLETE)	EA	5.00	d	
21.0780	CITY CHP. 21	88	72" CANTED STORM SEWER INLET (COMPLETE)	EA	2.00		
21.0790	CITY CHP. 21	89	72" RADIUS STORM SEWER INLET (COMPLETE)	EA	1.00		
21.0820	CITY CHP. 21	90	GRATE INLET, TYPE "F-1" (COMPLETE)	EA	2.00		

City No.	Spec. Ref.	Item No.	Description	Pay Unit	Approx. Quantity	Unit Price	Total Extension
21.0895	CITY CHP. 21	91	STORM SEWER MANHOLE, 15" - 30" (COMPLETE)	EA	2.00		
21.0073	CITY		CONCRETE FOR COLLARS, ELBOWS		2.00	· · · · · · · · · · · · · · · · · · ·	
21.0940	CHP. 21	92	& HDWLS (IN PLACE)	CY	3.71		
	CITY		REINF. STEEL FOR COLLARS,		3.71		
21.0950	CHP. 21	93	ELBOWS & HDWLS (IN PLACE)	LBS	369.00		
	CITY		(1111.102)	LD3	307.00		-
21.1080	CHP. 21	94	TAP EXISTING R.C. BOX	EA	1.00		
	CITY				1.00		
21.1250	CHP. 21	95	REMOVE 48" STORM SEWER PIPE	LF	319.00		
	CITY				B19100		
21.1300	CHP. 21	96	REMOVE 21" STORM SEWER PIPE	LF	30.00		
	CITY						
21.1320	CHP. 21	97	REMOVE 15" STORM SEWER PIPE	LF	659.00		
	CITY						
21.1325	CHP. 21	98	REMOVE 12" STORM SEWER PIPE	LF	55.00		
	CITY		REMOVE STORM SEWER MANHOLE				
21.1700	CHP. 21	99	(COMPLETE)	EA	1.00		
	CITY		REMOVE EXISTING INLET				
21.1710	CHP. 21	100	(COMPLETE)	EA	5.00		
	SPEC.		CONVERT GRATE INLET TO CURB				
50.0001	PROV.	101	INLET (COMPLETE)	EA	1.00		
	CITY		REMOVE 40" X 24" STORM SEWER				
50.0005	CHP, 21	102	PIPE	LF	79.00		
	CITY		REMOVE 39" X 26" STORM SEWER				
50.0005	CHP. 21	103	PIPE	LF	110.00		
	SPEC.						
50.0010	PROV.	104	STORM SEWER SAND FILL	CY	329.00		
SUBTO	TAL STO	RM SI	EWER ITEMS:				
			WATER MAIN ITEMS		1.6400A-1400A-1400A-1400A-1400A-1400A-1400A-1400A-1400A-1400A-1400A-1400A-1400A-1400A-1400A-1400A-1400A-1400A		
	CITY						
23.0007	CHP. 23	105	8" WATER MAIN	LF	516.00		
	CITY		The second secon				
23.0008	CHP. 23	106	6" WATER MAIN	LF	18.00		
	CITY	200000000000000000000000000000000000000		10,000	1		
23.0450	CHP. 23	107	8" GATE VALVE, M.J.	EA	2.00		
	CITY	2000000					
23.0460	CHP, 23	108	6" GATE VALVE, M.J.	EA	2.00		
	CITY						
23.0492	CHP. 23	109	HYDRANT, COMPLETE (L=6,5')	EA	2.00		
	CITY	200	1				
23.0520	CHP. 23	110	8" RETAINER GLANDS, M.J.	EA	29.00		
	CITY	1411			2004 Cet 1 Cet 2		
23.0530	CHP. 23	111	6" RETAINER GLANDS, M.J.	EA	3.00		
	CITY	12.00					
23.0537	CHP. 23	112	8" X 90 DEG. BEND, M.J.	EA	3.00		
02.0545	CITY	,	011 1/45 DEC 5555	920-0000	20, 200,00		
23.0545	CHP. 23	113	8" X 45 DEG. BEND, M.J.	EA	2.00		

City No.	Spec. Ref.	Item No.	Description	Pay Unit	Approx. Quantity	Unit Price	Total Extension
23.0546	CITY CHP. 23	114	6" X 45 DEG. BEND, M.J.	EA	1.00		
23.0561	CITY CHP. 23	115	8" X 11.25 DEG. BEND, M.J.	EA	2.00		
23.0583	CITY CHP. 23 CITY	116	8" X 6" TEE, M.J.	EA	2.00		
23.0592	CHP. 23	117	6" ANCHORING ELBOW, M.J. 6" ANCHORING COUPLING, M.J.	EA	1.00		
23.0594	CHP. 23	118	(L=18")	EA	2.00		
23.0623	CHP. 23	119	8" X 6" REDUCER, M.J.	EA	1.00		
23.0634	CHP. 23 CITY	120	8" OFFSET, 24" DROP, M.J.	EA	2.00		
23.0649	CHP. 23 CITY		8" SOLID SLEEVE, M.J. (L=12") 8" DUAL PURPOSE SLEEVE, M.J.	EA	1.00		
23.0653	CHP. 23 CITY	122	(L=12") 6" DUAL PURPOSE SLEEVE M.J.	EA	3.00		
23.0654	CHP. 23 CITY		(L=15") CONC. FOR THRUST BLKS, &	EA	1.00	- 1947	
23.0665	CHP. 23 CITY	124	ANCHORAGES (IN PLACE)	CY	2.40		
23.0685	CHP. 23	125	RECONSTRUCT WATER SERVICE	EA	1.00		
23.0715	CHP. 23 CITY CHP. 23	126	0.75" COPPER WATER SERVICE PIPE REMOVE 8" WATER MAIN	LF	28.00		
23.0950	CITY CHP. 23		REMOVE 6" WATER MAIN	LF LF	484.00		
50.0001	CITY CHP. 23	129	REMOVE 8" X 8" TAPPING SLEEVE & VALVE	EA	1.00		
50.0001	CITY CHP. 23	130	REMOVE THRUST BLOCK	EA	3.00		
50.0001	CITY CHP. 23	131	8" DUAL PURPOSE RETAINER GLANDS, M.J.	EA	6.00		
50.0001	CITY CHP. 23	132	6" DUAL PURPOSE RETAINER GLANDS, M.J.	EA	2.00		
SUBTO	TAL WA	TER M	IAIN ITEMS:				
			EROSION CONTROL ITEMS		1		0
30.0010	PROV. & CITY	133	SODDING, COMPLETE	SF	1,901.00		
30.0090	CITY CHP. 30		SEEDING, TYPE 'D'	AC	2.23		000 TS1072 000
32.0040	CITY CHP. 32	135	SYNTHETIC FABRIC SILT FENCE INSTALLATION	LF	333.00		
32.0050	CITY CHP. 32	AND THE RESERVE AND THE RESERV	SYNTHETIC FABRIC SILT FENCE MAINTENANCE	LF	333.00		

City No.	Spec. Ref.	Item No.	Description	Pay Unit	Approx. Quantity	Unit Price	Total Extension
32.0070	CITY CHP. 32	137	INSTALL STORM DRAIN INLET PROTECTION	EA	17.00		
32.0080	CITY CHP. 32	138	STORM DRAIN INLET PROTECTION MAINTENANCE	EA	34.00		
32.0090	CITY CHP. 32	139	REMOVE STORM DRAIN INLET PROTECTION	EA	17.00		
50.0020	SPEC. PROV.	140	COVER CROP SEEDING	AC	2.36		
50.0040	SPEC. PROV.	141	EROSION CONTROL, TYPE 'B'	SY	2,414.00		
SUBTO'	TAL ERC	SION	CONTROL ITEMS:				
			TRAFFIC SIGNAL ITEMS				
24.0101	CITY CHP. 24	142	REMOVE TRFFIC SIGNAL, COMPLETE	EA	2.00		
24.0810	CITY CHP. 24	143	PULL BOX, TYPE FOR27	EA	7.00		
24.0897	CITY CHP. 24	144	CONDUIT, 4" B	LF	628.00		
24.0906	CITY CHP. 24	145	CONDUIT, 4 INCH TRENCHED	LF	447.00		
24.1035	CITY CHP. 24	146	FIBER, 12 SM	LF	593.00		
24.1050	CITY CHP. 24	147	TRACER WIRE	LF	1,504.00		
24.6003	CITY CHP, 24	148	INSTALL CABINET, B	EA	1.00		
24.6020	CITY CHP. 24	149	LOCATE STICK	EA	1.00		
SUBTO	ΓAL TRA	FFIC	SIGNAL ITEMS:				
			SANITARY SEWER ITEMS				
22.0080	CITY CHP. 22	150	8" SANITARY SEWER PIPE	LF	16.00		
22.0640	CITY CHP. 22	151	STANDARD MANHOLE, TYPE "H"	EA	1.00		
22.0650	CITY CHP. 22		STANDARD MANHOLE, TYPE "H"	VF	17.00	9.003.00.00	
22.0760	CITY CHP, 22	153	TAP EXISTING MANHOLE & RECONSTRUCT INVERT	EA	1.00		
22.0780	CITY CHP. 22	154	REMOVE SANITARY SEWER MANHOLE, COMPLETE	EA	3.00		
50.0005	CITY CHP. 22		REMOVE 18" SANITARY SEWER PIPE	LF	79.00		
SUBTO	ΓAL SAN	ITARY	SEWER ITEMS:				

City No.	Spec. Ref.	Item No.	Description	Pay Unit	Approx. Quantity	Unit Price	Total Extension
			SIGNING ITEMS				
14.0001	CITY CHP. 14	156	TRAFFIC SIGN, < 4 SQ. FT.	EA	18.00		
14.0003	CITY CHP. 14	157	TRAFFIC SIGN, 4 SQ. FT. < 9 SQ. ST.	EA	10.00		
14.0007	CITY CHP. 14	158	"U" CHANNEL SIGN POSTS	LF	24.00		
14.0013	CITY CHP. 14	159	REMOVE TRAFFIC SIGN ONLY	EA	11.00		
14.0015	CITY CHP. 14	160	REMOVE TRAFFIC SIGN AND POST	EA	4.00		1.000
14.0017	CITY CHP. 14	161	TUBULAR MARKER	EA	2.00		
50.0001	SPEC. PROV.	162	SIGN POST	EA	6.00		
50.0001	SPEC. PROV.	163	SIGN POST (BREAKAWAY)	EA	6.00		
SUBTO'	TAL SIG	NING	ITEMS:			44	
			PAVEMENT MARKING ITEMS	3			
13.0180	CITY CHP. 13	164	THERMOPLASTIC (MOLTEN) MARKING, 4" YELLOW	LF	4,257.00		
13.0200	CITY CHP. 13	165	THERMOPLASTIC (MOLTEN) MARKING, 4" WHITE	LF	2,261.00		10-22
13.0409	CITY CHP. 13	166	GROOVED PREFORMED PLASTIC MARKING, LEFT ARROW	EA	4.00		
13.0442	CITY CHP. 13	167	GROOVED POLYUREA MARKING, 4" YELLOW	LF	952.00		
13.0443	CITY CHP. 13	168	GROOVED POLYUREA MARKING, 4" WHITE	LF	945.00		
13.0446	CITY CHP. 13	169	GROOVED POLYUREA MARKING, 12" WHITE	LF	31.00		
13.0506	CITY CHP, 13	170	REMOVE PREFORMED PLASTIC MARKING, ARROW	EA	4.00		
13.0508	CITY CHP. 13	171	REMOVE PREFORMED PLASTIC MARKING, ONLY	EA	1.00		
13.0510	CITY CHP, 13	172	REMOVE THERMOPLASTIC MARKING, 4"	LF	4,007.00		3
13.0513	CITY CHP. 13	173	REMOVE THERMOPLASTIC MARKING, 12"	LF	410.00		
13.0560	CITY CHP. 13	www.coo.	RAISED PAVEMENT MARKERS	EA	24.00		
	<u> </u>		NT MARKING ITEMS:				

Contract ID 780104 O Street Bridge Roadway Letting Date: July 31, 2007

City of Lincoln Schedule of Items

City No.	Spec. Ref.	Item No.	Description	Pay Unit	Approx. Quantity	Unit Price	Total Extension
			MISCELLANEOUS ITEMS				
01.0200	CITY CHP, 1	175	STANDARD DEAD END BARRICADE, TYPE III (IN PLACE)	EA	3.00		
50.0005	SPEC. PROV.	176	CONCRETE PROTECTION BARRIER	LF	910.00		0.000.0
50.0005	SPEC. PROV.	177	RELOCATE CONCRETE PROTECTION BARRIER	LF	305.00		
50.0015	ADD. 01	178	TEMPORARY SHORING AT STA. 1215+65	LS	1.00		
50.0015	ADD. 01	179	TEMPORARY SHORING AT STA. 1216+65	LS	1.00		
50.0015	ADD. 01	180	TEMPORARY SHORING AT STA. 1220+35 - STA. 1225+30	LS	1.00		
SUBTO	TAL MIS	CELL	ANEOUS ITEMS:				
ГОТАL	BID:						